Environmental Observations Taken Aboard the OR3

Peter C. Mignerey Marshall H. Orr

Office of Naval Research Naval Research Laboratory

> Acoustics Division 7120 Naval Research Laboratory Washington DC 20375 USA

ASIAEX International Symposium Chengdu, China, 2002 Phone: 202-767-2230 Email: Mignerey@nrl.navy.mil

maintaining the data needed, and c including suggestions for reducing	completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding an	o average 1 hour per response, inclu- ion of information. Send comments a arters Services, Directorate for Infor ny other provision of law, no person	regarding this burden estimate mation Operations and Reports	or any other aspect of th , 1215 Jefferson Davis l	is collection of information, Highway, Suite 1204, Arlington
1. REPORT DATE 01 DEC 2002	2. REPORT TYPE N/A		3. DATES COVERED		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
Environmental Observations Taken Aboard the OR3				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Acoustics Division 7120, Naval Research Lab., Washington, DC 20375				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILAPPROVED for publ	LABILITY STATEMENT ic release, distributi	on unlimited			
13. SUPPLEMENTARY NO Also See: M001452		ment contains color	images.		
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFIC	17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF		
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	UU UU	39	RESPONSIBLE PERSON

Report Documentation Page

Form Approved OMB No. 0704-0188

Outline

OR3 Environmental Instruments


OR3 Ship Tracks

Temperature and Salinity Profiles


Deep Water Soliton

Shallow Water Soliton Conversion

Towed Environmental Instruments




Soliton Radar Expression




OR3 Ship Tracks

OR3 Tracks Leg 1




ASIAEX 2001

OR3 Tracks Leg 2



ASIAEX 2001


OR3 Tracks Leg 3




ASIAEX 2001

Temperature and Salinity Profiles

Temperature




Salinity




Temperature

(12th Order Least-Squares Polynomial)




Salinity


(12th Order Least-Squares Polynomial)





Temperature - Salinity

(12th Order Least-Squares Polynomial)











Deep Water Soliton


Radar Satellite Image




EP500 Echosounder




Up-Slope Current



Temperature









Shallow Water Soliton Conversion


Radar Satellite Image




Soliton and Ship Tracks




Vertical Array Temperature Pods May 7





Temperature String 307 May 7














Vertical Array Temperature Pods May 8





Temperature String 307 May 8








Soliton Evolution




















Mignerey & Orr


NRL









Soliton Energy Dissipation




Shear Instability



Soliton Position



Soliton Width



Summary

Temperature and Salinity Legs 1-3

Surface water warmed and freshened

Deep water cooled and freshened

Thermocline steepened

Variability lessened

Deep Water Soliton

1.5 m/s currents

100 m vertical displacement of pycnocline

Extends 250 m to the bottom

Shallow Water Soliton Conversion

Conversion of depression solitons to elevation waves was observed

The internal wave train has alternating circulation cells

Kinetic energy is 91.2 MJ/m decreasing to 32.3 MJ/m

Energy dissipation is 0.17 W/m/m with rate coefficient 0.063 km⁻¹

Leading soliton width increases from 500 to 1000 m


Publication

Paper in production at JGR Oceans

Marshall H. Orr and Peter C. Mignerey

"Nonlinear internal waves in the South China Sea - observation of the conversion of depression internal waves to elevation internal waves"

Density - Depth



Tow-Yo CTD Depth

